



Product Service

CERTIFICATE

No. Z10 022733 0057 Rev. 01

Holder of Certificate: Yaskawa Electric Corporation
Inverter Plant
2-13-1 Nishimiyaichi
Yukuhashi, Fukuoka
824-8511 JAPAN

Certification Mark:



Product: AC Servo Systems
AC Inverter

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: YY94396C

Valid until: 2028-10-25

Date, 2023-10-27

(Matthias Ramold)

CERTIFICATE

No. Z10 022733 0057 Rev. 01

Parameters:

Rated voltage	200 to 240 V3AC 380 to 480 V3AC 460 to 480 V3AC
Rated frequency	50/60 Hz
Protective class	I
Overvoltage category	III
Safety function	STO SIL 3 acc. to IEC/EN 61800-5-2 SIL 3 acc. to IEC/EN 61508 maximum SIL 3 acc. to IEC/EN IEC 62061 Cat. 3, PL e acc. to EN ISO 13849-1

Tested according to:

IEC 61508-1:2010 (SIL 3)
IEC 61508-2:2010 (SIL 3)
EN 61508-1:2010 (SIL 3)
EN 61508-2:2010 (SIL 3)
EN ISO 13849-1:2015 (Cat. 3, PL e)
IEC 62061:2021 (maximum SIL 3)
EN IEC 62061:2021 (maximum SIL 3)
EN 61800-5-1:2007/A11:2021
IEC 61800-5-2:2016
EN 61800-5-2:2007
EN 61800-5-2:2017
IEC 61326-3-1:2017
EN 61326-3-1:2017
IEC 61000-6-7:2014
EN 61000-6-7:2015

Model(s):

HV600

CERTIFICATE

No. Z10 022733 0057 Rev. 01

Nomenclature of HV600 Series

CIPR-HV60 * * *** * * * * - * * * * * * * - ****
A B C D E F G H I J K L M N O P

Basic Code

A: General purpose Inverter

Group	Model	Note
CIPR	Yaskawa new generation inverter	--

B: Basic name of Inverter Series

Group	Model	Note
HV60	HV600 Inverter series for HVAC	--

C: Regional specification for initial software setting (non-safety related)

Group	Model	Note
A	Japan spec.	--
B	China spec.	--
C	Europe spec.	--
D	India spec.	--
U	America spec.	--
T	Asia (YSP, YTW) spec.	--
K	Korea spec.	--
X	China X model	--

D: Rated Voltage

Group	Model	Note
2	200V 3-phase	--
4	400V 3-phase	--

E: Rated output current

D: 2(200V 3-phase)

Input Voltage	200V to 240V			
Model	Maximum Applicable Motor Capacity (HP)	Maximum Applicable Motor Capacity (kW)	Input Current [A]	Output Current [A]
005	1	0.75	3.2	4.6
008	2	1.5	5.9	7.8
011	3	2.2	8.8	10.6
017	5	3.7	14.2	16.7
024	7.5	5.5	21	24.2
031	10	7.5	28	30.8
046	15	11	40	46.2
059	20	15	54	59.4
075	25	18.5	66	74.8
088	30	22	78	88
114	40	30	106	114
143	50	37	130	143
169	60	45	157	169
211	75	55	191	211
273	100	75	258	273
343	125	90	324	343
396	150	110	394	396

CERTIFICATE

No. Z10 022733 0057 Rev. 01

D: 4(400V 3-phase)

Input Voltage	380V to 460V			
Model	Maximum Applicable Motor Capacity (HP)	Maximum Applicable Motor Capacity (kW)	Input Current [A]	Output Current [A]
005	-	1.5	4.1	4.8
006	-	2.2	5.4	5.4
008	-	3.0	7.1	7.6
011	-	4	8.9	11
014	-	5.5	11.9	14
021	-	7.5	17.5	21
027	-	11	23.4	27
034	-	15	31	34
040	-	18.5	38	40
052	-	22	44	52
065	-	30	59.6	65
077	-	37	74.9	77
096	-	45	89.2	96
124	-	55	103	124
156	-	75	140	156
180	-	90	168	180
240	-	110	205	240
302	-	160	296	302
361	-	200	371	361
414	-	220	389	414
477	-	250	453	477
515	-	280	515	515
590	-	315	590	590
720	-	375	720	720

Input Voltage	460V to 480V			
Model	Maximum Applicable Motor Capacity (HP)	Maximum Applicable Motor Capacity (kW)	Input Current [A]	Output Current [A]
005	3	2.2	3.8	4.8
008	5	3.7	6.2	7.6
011	7.5	5.6	9	11
014	10	7.5	12.1	14
021	15	11.2	17.4	21
027	20	14.9	23.5	27
034	25	18.6	28.7	34
040	30	22	34	40
052	40	30	45.9	52
065	50	37	56.3	65
077	60	45	68.1	77
096	75	56	82.8	96
124	100	75	112	124
156	125	93	134	156
180	150	112	163	180
240	200	149	221	240
302	250	186	289	302
361	300	224	346	361

CERTIFICATE

No. Z10 022733 0057 Rev. 01

414	350	261	403	414
477	400	298	465	477
515	450	335	515	515
590	500	373	573	590
720	600	447	686	720

F: EMC filter option

Group	Model	Note
C	Built-in EMI filter for C2	--

G: Enclosure

Group	Model	Note
B	IP20 inside panel	--
F	IP20/UL Type1 wall mount	--
T	IP55/UL Type12 wall mount with disconnect switch	--
V	IP55/UL Type12 wall mount	--
W	Heatsink back mount through panel Front:IP00, Back:IP55/Type12	--

H: Environmental Specification (non-safety related)

Group	Model	Note
A	Standard (Conformal coating PCB)	--
B to Z	Put any alphabet for an Environmental Specification.	--

I: Design Spec (non-safety related)

Group	Comment	Note
A to Z	Put any alphabet for a design Spec.	--

Optional Code

J: Control terminal option (non-safety related)

Group	Comment	Note
A to R	Put any alphabet for a Control terminal setting.	--

K: Option setting in slot A (non-safety related)

Group	Comment	Note
A to Z	Put any alphabet for a Option setting in slot A.	--

L: Option setting in slot B (non-safety related)

Group	Comment	Note
A	N/A	--

M: Option setting in slot C (non-safety related)

Group	Comment	Note
A	N/A	--

N: Keypad option (non-safety related)

Group	Comment	Note
A to Z	Put any alphabet for a Keypad.	--

CERTIFICATE

No. Z10 022733 0057 Rev. 01

O: Sub-application software setting (non-safety related)

Group	Comment	Note
A to Z	Put any alphabet for a Sub-application software.	--

Custom Code

P: Custom setting (non-safety related)

Group	Comment	Note
0000 to 9999	Put any numeric for a Custom setting.	--

The list of certified devices for HV600:

CIPR-HV60*2005CB**_*****_****
CIPR-HV60*2008CB**_*****_****
CIPR-HV60*2011CB**_*****_****
CIPR-HV60*2017CB**_*****_****
CIPR-HV60*2024CB**_*****_****
CIPR-HV60*2031CB**_*****_****
CIPR-HV60*2046CB**_*****_****
CIPR-HV60*2059CB**_*****_****
CIPR-HV60*2075CB**_*****_****
CIPR-HV60*2088CB**_*****_****
CIPR-HV60*2114CB**_*****_****
CIPR-HV60*2143CB**_*****_****
CIPR-HV60*2169CB**_*****_****
CIPR-HV60*2211CB**_*****_****
CIPR-HV60*2273CB**_*****_****
CIPR-HV60*2343CB**_*****_****
CIPR-HV60*2396CB**_*****_****
CIPR-HV60*4005CB**_*****_****
CIPR-HV60*4006CB**_*****_****
CIPR-HV60*4008CB**_*****_****
CIPR-HV60*4011CB**_*****_****
CIPR-HV60*4014CB**_*****_****
CIPR-HV60*4021CB**_*****_****
CIPR-HV60*4027CB**_*****_****
CIPR-HV60*4034CB**_*****_****
CIPR-HV60*4040CB**_*****_****
CIPR-HV60*4052CB**_*****_****
CIPR-HV60*4065CB**_*****_****
CIPR-HV60*4077CB**_*****_****
CIPR-HV60*4096CB**_*****_****
CIPR-HV60*4124CB**_*****_****
CIPR-HV60*4156CB**_*****_****
CIPR-HV60*4180CB**_*****_****
CIPR-HV60*4240CB**_*****_****
CIPR-HV60*4302CB**_*****_****
CIPR-HV60*4361CB**_*****_****

CERTIFICATE

No. Z10 022733 0057 Rev. 01

CIPR-HV60*4414CB**_*****_****
CIPR-HV60*4480CB**_*****_****
CIPR-HV60*4515CB**_*****_****
CIPR-HV60*4590CB**_*****_****
CIPR-HV60*4720CB**_*****_****
CIPR-HV60*2005CF**_*****_****
CIPR-HV60*2008CF**_*****_****
CIPR-HV60*2011CF**_*****_****
CIPR-HV60*2017CF**_*****_****
CIPR-HV60*2024CF**_*****_****
CIPR-HV60*2031CF**_*****_****
CIPR-HV60*2046CF**_*****_****
CIPR-HV60*2059CF**_*****_****
CIPR-HV60*2075CF**_*****_****
CIPR-HV60*2088CF**_*****_****
CIPR-HV60*2114CF**_*****_****
CIPR-HV60*2143CF**_*****_****
CIPR-HV60*2169CF**_*****_****
CIPR-HV60*4005CF**_*****_****
CIPR-HV60*4006CF**_*****_****
CIPR-HV60*4008CF**_*****_****
CIPR-HV60*4011CF**_*****_****
CIPR-HV60*4014CF**_*****_****
CIPR-HV60*4021CF**_*****_****
CIPR-HV60*4027CF**_*****_****
CIPR-HV60*4034CF**_*****_****
CIPR-HV60*4040CF**_*****_****
CIPR-HV60*4052CF**_*****_****
CIPR-HV60*4065CF**_*****_****
CIPR-HV60*4077CF**_*****_****
CIPR-HV60*4096CF**_*****_****
CIPR-HV60*4124CF**_*****_****
CIPR-HV60*4156CF**_*****_****
CIPR-HV60*2005CT**_*****_****
CIPR-HV60*2008CT**_*****_****
CIPR-HV60*2011CT**_*****_****
CIPR-HV60*2017CT**_*****_****
CIPR-HV60*2024CT**_*****_****
CIPR-HV60*2031CT**_*****_****
CIPR-HV60*2046CT**_*****_****
CIPR-HV60*2059CT**_*****_****
CIPR-HV60*2075CT**_*****_****
CIPR-HV60*2088CT**_*****_****
CIPR-HV60*2114CT**_*****_****
CIPR-HV60*2143CT**_*****_****
CIPR-HV60*2169CT**_*****_****
CIPR-HV60*4005CT**_*****_****

CERTIFICATE

No. Z10 022733 0057 Rev. 01

CIPR-HV60*4006CT**_*****_****
CIPR-HV60*4008CT**_*****_****
CIPR-HV60*4011CT**_*****_****
CIPR-HV60*4014CT**_*****_****
CIPR-HV60*4021CT**_*****_****
CIPR-HV60*4027CT**_*****_****
CIPR-HV60*4034CT**_*****_****
CIPR-HV60*4040CT**_*****_****
CIPR-HV60*4052CT**_*****_****
CIPR-HV60*4065CT**_*****_****
CIPR-HV60*4077CT**_*****_****
CIPR-HV60*4096CT**_*****_****
CIPR-HV60*4124CT**_*****_****
CIPR-HV60*4156CT**_*****_****
CIPR-HV60*2005CV**_*****_****
CIPR-HV60*2008CV**_*****_****
CIPR-HV60*2011CV**_*****_****
CIPR-HV60*2017CV**_*****_****
CIPR-HV60*2024CV**_*****_****
CIPR-HV60*2031CV**_*****_****
CIPR-HV60*2046CV**_*****_****
CIPR-HV60*2059CV**_*****_****
CIPR-HV60*2075CV**_*****_****
CIPR-HV60*2088CV**_*****_****
CIPR-HV60*2114CV**_*****_****
CIPR-HV60*2143CV**_*****_****
CIPR-HV60*2169CV**_*****_****
CIPR-HV60*4005CV**_*****_****
CIPR-HV60*4006CV**_*****_****
CIPR-HV60*4008CV**_*****_****
CIPR-HV60*4011CV**_*****_****
CIPR-HV60*4014CV**_*****_****
CIPR-HV60*4021CV**_*****_****
CIPR-HV60*4027CV**_*****_****
CIPR-HV60*4034CV**_*****_****
CIPR-HV60*4040CV**_*****_****
CIPR-HV60*4052CV**_*****_****
CIPR-HV60*4065CV**_*****_****
CIPR-HV60*4077CV**_*****_****
CIPR-HV60*4096CV**_*****_****
CIPR-HV60*4124CV**_*****_****
CIPR-HV60*4156CV**_*****_****
CIPR-HV60*2005CW**_*****_****
CIPR-HV60*2008CW**_*****_****
CIPR-HV60*2011CW**_*****_****
CIPR-HV60*2017CW**_*****_****
CIPR-HV60*2024CW**_*****_****

CERTIFICATE

No. Z10 022733 0057 Rev. 01

CIPR-HV60*2031CW**_*****_****
CIPR-HV60*2046CW**_*****_****
CIPR-HV60*2059CW**_*****_****
CIPR-HV60*2075CW**_*****_****
CIPR-HV60*2088CW**_*****_****
CIPR-HV60*2114CW**_*****_****
CIPR-HV60*2143CW**_*****_****
CIPR-HV60*2169CW**_*****_****
CIPR-HV60*2211CW**_*****_****
CIPR-HV60*2273CW**_*****_****
CIPR-HV60*2343CW**_*****_****
CIPR-HV60*2396CW**_*****_****
CIPR-HV60*4005CW**_*****_****
CIPR-HV60*4006CW**_*****_****
CIPR-HV60*4008CW**_*****_****
CIPR-HV60*4011CW**_*****_****
CIPR-HV60*4014CW**_*****_****
CIPR-HV60*4021CW**_*****_****
CIPR-HV60*4027CW**_*****_****
CIPR-HV60*4034CW**_*****_****
CIPR-HV60*4040CW**_*****_****
CIPR-HV60*4052CW**_*****_****
CIPR-HV60*4065CW**_*****_****
CIPR-HV60*4077CW**_*****_****
CIPR-HV60*4096CW**_*****_****
CIPR-HV60*4124CW**_*****_****
CIPR-HV60*4156CW**_*****_****
CIPR-HV60*4180CW**_*****_****
CIPR-HV60*4240CW**_*****_****
CIPR-HV60*4302CW**_*****_****
CIPR-HV60*4361CW**_*****_****
CIPR-HV60*4414CW**_*****_****
CIPR-HV60*4480CW**_*****_****
CIPR-HV60*4515CW**_*****_****
CIPR-HV60*4590CW**_*****_****
CIPR-HV60*4720CW**_*****_****